

# List of Figures / List of Tables / List of Sidebars

---

## List of Figures

1-1:	Location of Red Run Subwatershed	1-1
1-2:	Subwatershed communities	1-2
1-3:	Subwatershed drainage areas	1-3
1-4:	Congressional districts	1-4
	U.S. Capitol Building – Washington D.C.	1-4
	Michigan Capitol Building – Lansing, Michigan	1-4
	Drainage Areas	1-5
	The Great Lakes Basin	1-5
1-5:	Watershed Management Plan Development	1-12
	An Example of a Critical Area for Hydrologic Flow in the Subwatershed – Urban Land Use	1-14
	The Planning Process in Action – A R2W Swag Meeting	1-14
1-6:	School Districts in the Subwatershed	1-15
	Subwatershed Photo Tour: The Nelson Drain in Troy	1-16
	Subwatershed Photo Tour: Columbia Centre Offices in Troy	1-16
	The Physiographic Regions of Southeastern Michigan	2-2
2-1:	Soil associations in the subwatershed	2-3
2-2:	Elevation in the subwatershed	2-4
2-3:	Wetland locations and types in the subwatershed	2-6
	Extreme Riparian Conditions: Encroaching Development, Woody Corridor	2-7
	Riparian Corridor	2-7
	Stream Meanders	2-7
	Habitat Regions of the Eastern United States	2-8
	Example of Birds in the Subwatershed: Ducks on the Sturgis Drain	2-10
	Mayfly	2-11
	Wavy-rayed Lampmussel	2-11
2-4:	Natural Features	2-12
2-5:	Population densities in the subwatershed	2-14
2-6:	Median household incomes in the subwatershed	2-16
	Beech/Maple Forest	2-18
2-7:	Land cover in the subwatershed circa 1830	2-19
	Mixed Oak Forest	2-19
	Multiple Present Day Land Uses: Transportation and Commercial	2-19
2-8:	Land use in the subwatershed – present day	2-20
	Present Day Land Use: Residential (Single-family)	2-21
2-9:	Land use in the subwatershed – future	2-23
2-10:	Land cover/use comparison	2-24
	Warren WWTP	2-25
	DWSD WWTP	2-25
2-11:	Sewer systems in the subwatershed	2-26
2-12:	Schematic of a combined sewer system	2-27
	Schematic of an OSDS	2-27
2-13:	Waters under the jurisdiction of county-level government	2-28
	Storm Sewer Catch Basin	2-28
	Storm Sewer Construction	2-28
	Storm Sewer Outfall	2-29
	Typical Private Well Casing Cap	2-29

2-14: Public Drinking Water Supplies	2-30
2-15: Pollution control facilities / potential discharge points	2-31
2-16: Storage tank locations (above and below ground)	2-32
Gas Station with Underground Storage Tanks	2-32
Mound Road Bridge over Sturgis Drain	2-32
2-17: Transportation infrastructure	2-33
The Sterling Yard – from 17 Mile Road	2-34
Oakland/Troy Airport	2-34
2-18: Historical/cultural sites in the subwatershed	2-35
Historical Site – St. Clement Catholic Parish, Center Line	2-35
Boulan Park	2-35
2-19: Nature areas / parks	2-36
Raintree Park	2-36
3-1: Effects of urbanization on runoff	3-1
Gas Station in Warren	3-1
Straightened Section of the Red Run Drain – Sterling Heights	3-2
Bridge over Spencer Drain at Mound Road	3-3
Blazing Star – a species that used to be found in the subwatershed	3-4
3-2: Biological study locations and summarized data	3-14
3-2: Biological study locations and summarized data (continued)	3-15
Purple Loosestrife	3-16
Eurasian Water-milfoil	3-16
Spiny Water Flea	3-16
Zebra Mussel	3-16
3-3: Floodplains	3-17
3-4: Survey Locations	3-19
Plum Brook at 18 ½ Mile Road	3-20
Longstaff Drain at Hayes Road	3-20
Spencer Drain at Stephenson Highway	3-20
Red Run Drain at Mound Road	3-20
3-5: Identified problems	3-21
Big Beaver Creek at Wattles Road	3-22
Red Run Drain at 14 Mile Road	3-23
Spencer Drain at 14 Mile Road	3-23
Trash in the Bear Creek	3-24
Flowing Outfall in a Bear Creek Stream Crossing	3-24
Wood Debris and Sediment Deposition in Big Beaver Creek	3-25
Severe Bank Erosion in the Big Beaver Creek	3-25
Wood Debris in Plum Brook	3-26
Plum Brook – Crossing with Channel Modification	3-26
Spencer Drain at John R Road	3-27
3-6: Streambank conditions in the subwatershed	3-28
3-6: Streambank conditions in the subwatershed (continued)	3-29
Neighborhood on Union Street between Hamlin Road and Auburn Road	3-30
Sediment and Debris on a Cracked Street Near Marmon and Maxwell Roads	3-31
Pervious Area at Halmich Park in Warren Exhibiting Compacted Soil / Bare Spots	3-32
Potential Runoff from Salt Pile to Nearby Catch Basin at Local Department of Public Works Maintenance Yard	3-32
Fertilized Lawn	3-33

	Satellite Image of Impervious Surfaces in Warren	3-34
3-7:	Impervious cover based on land use type	3-35
3-8:	Relationship between impervious cover and stream quality	3-36
	Satellite Image of Varying Levels of Imperviousness in Troy (Big Beaver Creek Catchment)	3-37
3-9:	Location of listed waterbodies	3-41
	USACE for Macomb County, Public Participation Plan	4-1
	SWAG Meeting	4-1
	Stakeholder Workshop	4-1
	Stakeholder Workshop	4-2
	Community Forum	4-3
	Community Forum #2	4-5
	CRWC Website: Utilized for Draft Plan Distribution and Receiving Public Comments	4-5
	Stakeholder Workshop #2	4-5
	CRWC Display at Home and Garden Show – Detroit, MI	4-8
	Information Display at Hazel Park Offices	4-9
	An Example of Public Education Materials Developed by SEMCOG	4-9
5-1:	Location of water quality monitoring and stream flow gauges	5-6
5-2:	Estimated sediment load by source and catchment	5-13
5-3:	Urban land uses in the Big Beaver Creek, Red Run – East, and Red Run – South catchments identified as critical areas for sediment load reductions	5-14
5-4:	Estimated phosphorus load by source and catchment	5-21
5-5:	Location of urban land uses in all catchments except George W. Kuhn	5-23
5-6:	Monthly mean stream flows	5-33
5-7:	Flashiness indices and trend at the Fraser gage	5-34
5-8:	Flashiness indices and trend at the Mt. Clemens gage	5-34
	The Turbid Waters of the Red Run: Goal I, Objective C Aims to Address This Issue	6-1
	Trail along the Red Run: Goal III Aims to Promote This and Other Opportunities	6-2
	A Heron in the Red Run: Goal IV Aims to Protect Habitat for These and Many Other Organisms	6-3
	A Subwatershed Advisory Group Meeting: Continued Meetings and Action (Goal VI, Objective B) is a Key Making this Plan a Success	6-3
	The Plum Brook, its Riparian Corridor, and Associated Habitat: Examples of Natural Features to be Addressed through Goal VII	6-4
	St. Clair River and Lake St. Clair Comprehensive Management Plan	6-4
	A Community Forum: Public Involvement and Education is a Tool that Can be Used to Address Many of the Goals and Objectives of this Plan	6-5
	Wildlife Corridor	7-6
7-1:	Example of an Overlay Zone	7-8
	The Gibson Drain and its Riparian Corridor: With Environmental Assessment, a Nearby Proposed Development Would Consider its Impacts on this Resource	7-9
	Riparian Buffer	7-10
7-2:	Conventional subdivision compared to cluster development	7-11
	Example of Land Division	7-14
	A Subdivision: Woodbury Estates in Macomb Township	7-15
	An Example of a Subdivision being Constructed	7-15
7-3:	Long narrow vs. short narrow waterfront lots	7-16
	Example of Unbuildable Lots	7-16

	Example of Access	7-16
	Example of Buildability	7-17
	Example of Clustered Lots	7-17
	Drawing of Clustered Lots	7-17
	Storm Sewer Outfall w/ Dry Weather Flow – possible illicit discharge	7-18
	A Storm Sewer Outfall to the Red Run: IDEP Programs Target These to Identify Illicit Discharges	7-35
	CRWC Stream Leaders	7-35
	CRWC Adopt-A-Stream	7-35
7-4:	MDEQ monitoring basins for Basin Year 3 (2004).	7-36
	MDEQ Basin Years 1, 2, 4 & 5	7-36
	Stream Crossing Watershed Survey Procedure	7-37
	Unified Subwatershed and Site Reconnaissance: A User’s Manual	7-38
	Opportunities for Water Resources Protection in Local Plans, Ordinances, and Programs	7-39
8-1:	General Schedule	8-1
8-2:	Implementation milestones	8-2
	Example of Public Education Materials	8-8
	Watershed Sign	8-10
9-1:	Relationship between the three elements	9-1
	The Planning Process (detail) – see Chapter 1 for Expanded Information	9-2
9-2:	Success levels	9-2
	Field Data Collection for Developing the Plan: Unified Stream Assessment	9-10
	Options for Local Government Funding of Water Quality Activities	10-1
	SWAG Meeting	10-1
	Example of a Program Implementation Activity: Volunteers Planting Native Flora along Big Beaver Creek	10-7
	Example of a Capital Project: Improvements at the George W. Kuhn Retention and Treatment Facility	10-7

## List of Tables

1-1: Subwatershed communities	1-2
1-2: Subwatershed drainage areas	1-3
1-3: Congressional districts by community	1-4
2-1: Climatic data for the subwatershed	2-1
2-2: Wetland coverage in the subwatershed	2-6
2-3: Natural features	2-11
2-4: Year 2000 community populations and densities	2-13
2-5: Community populations for 1970, 2000, and 2030	2-15
2-6: Subwatershed community populations for 2000 presented on a catchment basis	2-15
2-7: Community income, poverty, and education levels	2-17
2-8: Land cover in the subwatershed circa 1830	2-18
2-9: Land use in the subwatershed – present day	2-21
2-10: Land use in the subwatershed – future (year 2030)	2-22
2-11: Sewage disposal in the subwatershed, by catchment	2-25
2-12: Transportation infrastructure, by catchment	2-32
2-13: Historical/cultural sites in the subwatershed, by catchment	2-34
2-14: Nature area / park summary	2-35
2-15: Largest nature areas / parks in the subwatershed	2-36
3-1: Water quality standards	3-5
3-2: Threatened or endangered species in the subwatershed	3-13
3-3: Detailed road-stream crossing survey results	3-22
3-4: Assumed percent impervious values	3-34
3-5: Impervious cover percentages	3-34
4-1: Results from feedback forms	4-6
5-1: Status of designated uses	5-3
5-2: Representative water quality monitoring stations and associated catchments	5-7
5-3: General sources of sediment	5-8
5-4: TSS data used to estimate current and allowable loads	5-11
5-5: Estimated existing annual loads and associated reductions by representative monitoring station	5-11
5-6: Estimated annual TSS load and additional load to account for streambank erosion by catchment	5-12
5-7: Estimated TSS load reduction by catchment	5-12
5-8: General sources of phosphorus	5-17
5-9: TP data used to estimate current and allowable loads	5-19
5-10: Estimated existing annual TP loads and associated reductions	5-19
5-11: Estimated phosphorus load by catchment	5-20
5-12: Estimated TP load reduction by catchment	5-20
5-13: General sources of pathogens	5-26
5-14: E. coli data used to estimate current and allowable loads	5-28
5-15: Existing annual loads and associated reductions	5-28
5-16: Hydrologic flow change sources	5-31
5-17: Contaminated sediments – sources and causes	5-39
5-18: PCBs – sources and causes	5-39
Goal I – Objectives	6-1
Goal II – Objectives	6-2
Goal III – Objectives	6-2
Goal IV – Objectives	6-3

Goal V – Objectives	6-3
Goal VI – Objectives	6-3
Goal VII – Objectives	6-4
6-1: Relationship of WMP goals to RAP BUIs	6-5
6-2: Relationship of WMP goals to Lake St. Clair Comprehensive Management Plan goals	6-6
8-1: Relationship of actions to goals and objectives	8-32
8-1: Relationship of actions to goals and objectives (continued)	8-33
8-2: Action details	8-34
8-2: Action details (rows continue across from previous page)	8-35
8-3: Potential funding/technical assistance	8-36
8-3: Potential funding/technical assistance (rows continue across from previous page)	8-37
8-4: Numerical cross-reference for previous table	8-38
8-4: Numerical cross-reference for previous table (continued)	8-39
8-5: Loading reductions that results from addressing known sources	8-43
8-6: Phosphorus load reductions associated with the addressing of known sediment problems	8-45
9-1: Measures of success associated with the actions	9-7
9-1: Measures of success associated with the actions (continued)	9-8
9-2: Evaluation action details	9-11
9-3: Goals and objectives evaluation questions	9-16
9-3: Goals and objectives evaluation questions (continued)	9-17
9-3: Goals and objectives evaluation questions (continued)	9-18
10-1: Legal relationship options	10-4
10-1: Legal relationship options (rows continue across from previous page)	10-5
10-2: Funding mechanisms	10-8
10-2: Funding mechanisms (rows continue across from previous page)	10-9
10-3: Examples of actions and potential funding mechanisms	10-10

## List of Sidebars

Quotable Quotation	1-1
Clinton River Watershed	1-1
Acronyms and Terms	1-1
Regulated Areas	1-2
Red Run Subwatershed	1-3
Municipality Names	1-3
Federal and State Level Representatives	1-4
State of Michigan Symbol of Water Quality	1-6
One Vision	1-7
Additional WMP Elements	1-7
Waters of the U.S.	1-7
Goals and Principles of the Clean Water Act	1-8
Special Laws and Programs	1-9
Special Laws and Programs (continued)	1-10
Clinton River Area of Concern Information	1-10
International Joint Commission	1-10
What is a 'Run'?	1-11
The Clinton River	1-11
Public Participation Process	1-13
Important Feedback to be Considered: Combined Sewer Overflows	1-13
Nested Jurisdictions	1-15
Data Sources	2-1
Effects of the Great Lakes	2-2
24-hour Storm Events	2-2
Average Annual Runoff	2-2
Soil Associations	2-3
Hydrologic Soil Groups	2-4
Quotable Quotation	2-5
Primary Producers	2-5
Emergent Wetland Types / Forested Wetland Types	2-6
Bank Slope Processes	2-8
Tree Canopy	2-9
Fish Habitat	2-9
Neither Plant nor Animal	2-10
Zooplankton	2-10
Population Growth 2000 to 2005	2-13
Income Data	2-16
Minority Percent of Community Populations	2-17
Minority Percent of Catchment Populations	2-17
Land Use Types – Present	2-21
Future Land Use	2-22
Land Use Types – Future	2-22
Public Land	2-24
Sanitary Sewer Overflows	2-25
More on Combined Sewers and CSOs	2-26
CSO Data 7/00 – 7/06	2-26
Sewage Disposal Summary	2-27

Inland Lake Levels	2-28
Storm Sewer Coverage	2-28
Water Supply / Well Types	2-30
Pollution Control / Discharge Data Sources	2-30
Pollution Control Legislation	2-31
Navigable Waters/Archaeological Sites	2-34
Nature Areas and Parks	2-35
Recreational Use of Waters for Fishing	2-36
Infrastructure	3-1
Impervious Surfaces and Storm Sewers	3-2
Water Quality Standards	3-5
Example Pollutants / Factors Affecting Designated Uses	3-6
Adopt-a-Stream	3-7
Red Run Drain History	3-7
IJC Concerns with Clinton River Basin	3-8
Pollution Related Discussion in the 1998 RAP	3-8
Water Quality Parameters	3-9
Water Quality Parameters (continued)	3-10
Water Quality Parameters (continued)	3-11
Beach Closing Information	3-11
Biological Conditions Rankings	3-12
Freshwater Mussels	3-12
Threatened and Endangered Species Legislation	3-12
Species Classifications	3-13
Native Species	3-16
Water Budget Issues	3-17
FEMA Floodplain Categories	3-17
Volunteers	3-18
Road-Stream Crossing Potential Problem Descriptions	3-22
Unified Subwatershed and Site Reconnaissance	3-30
SSD Terms	3-31
Imperviousness of Open Water	3-34
Impervious Cover Model	3-36
Audit Methodology	3-38
Communities not Included in Audit Results	3-39
Group 1 Synopsis	3-39
Group 2 Synopsis	3-40
Group 3 Synopsis	3-40
Fish Consumption Advisories	3-41
Adaptive Management	3-42
Stakeholder Workshop Visions and Desired Uses	4-2
Stakeholder Workshop Issues and Concerns	4-2
Meeting Fact Sheets	4-3
Community Forum Visions and Desired Uses	4-3
Community Forum Issues and Concerns	4-3
Desired Uses	4-4
20 Years Ago	4-4
Quotable Quotation	4-7
Information Displays	4-9
School Districts	4-10

Future Public Education and Involvement	4-10
What are stressors?	5-1
Purpose of this Chapter	5-1
Water Quality Classifications	5-2
Steps in the Load Duration Curve Approach	5-5
Distinguishing Between Sources and Causes of Impairment	5-7
What is a critical area?	5-12
Flashiness Index	5-34
Critical Area Summary	5-38
Quotable Quotation	6-1
Illicit Discharge Elimination Plans	6-1
Clinton River RAP Public Education Goals	6-2
Social Marketing	6-2
Combined and Sanitary Sewer Overflows	6-3
Quotable Quotation	7-1
SEMCOG Three-tiered Planning Approach	7-1
Clinton River Basin Watershed Initiative	7-2
Public Education Vehicles	7-2
Important CRWC Programs	7-2
Additional Public Education Consideration	7-3
Other Youth Education Programs	7-4
Environmental Protection Options for Local Governments	7-5
The Development Cycle	7-6
More on Zoning	7-7
Macomb County Model Ordinances	7-8
Macomb County Stormwater Standards	7-8
Storm Water Center Model Ordinances	7-9
Macomb County Natural Features Inventory	7-10
Better Site Design Options	7-12
Professional Reviews	7-13
Spill Response	7-19
Cross-Jurisdictional Enforcing Agent / County Enforcing Agents / Approved Public Agencies / Municipal Enforcing Agencies / Conservation District	7-21
BMP Resources	7-21
BMP Resources (cont'd)	7-22
Impervious Surface Mitigation Scorecard	7-22
Additional Considerations	7-23
Infiltration Systems Scorecard	7-23
Filtration Systems Scorecard	7-24
Vegetated Buffers / Natural Conveyance Scorecard	7-25
Retention / Detention Scorecard	7-26
Vegetation Management Actions to Consider for Natural Features and Resources Management	7-27
Conservation District Websites	7-30
Geese	7-31
Aquatic Nuisance Species Task Force	7-32
Macroinvertebrates	7-35
U.S. EPA STORET	7-37
Water Quality Index	7-38
Other Resources	7-39

Quotable Quotation	8-1
Appropriateness of Actions	8-3
Terminology	8-3
Planning Levels	8-4
Benefits of the Actions	8-4
Importance of the Funding Program	8-5
Pollutant Sources	8-7
Potential Targets for Business Education	8-9
Recommended Implementation Approach	8-12
Solid Waste Management	8-17
IDEP Hotline Numbers	8-19
Abandoned Well Issues	8-21
Natural Features Information in the WMP	8-27
Recreation Consideration	8-29
Sources of the Actions	8-30
History of Actions Taken	8-31
Future Loadings	8-40
Stream Order	8-42
Adaptive Management	8-49
Quotable Quotations	9-1
Permit Requirements	9-3
Notes on the Annual Reports	9-4
Characteristics of the Evaluation Measures	9-5
Actions Most Likely to have Quantifiable Load Reductions	9-6
Guideposts for Achieving Loading Reductions	9-9
Guideposts for Achieving Loading Reductions (continued)	9-10
Non-Action Milestones	9-15
Actions without Milestones	9-15
Goals and Objectives Evaluation- Phase II Related	9-15
Plans Developed in Conjunction with this WMP	10-2
Other Groups to Consider for SWAG Participation	10-2
Examples of Legal Entities Utilized Throughout Michigan for Watershed Protection and Contact Information	10-3
Legal Issues	10-6
Cool Cities Initiative	10-10